
Vol. 39 No. 4
Fall 2026

neonatal INTENSIVE CARE

The Journal of Perinatology-Neonatology



From Survey Scores to Earlier Intervention: The Operational Case for Real-Time Family Voice in the NICU

Detecting communication gaps, parental distress, and social needs while there's still time to make a difference

Lisa Davenport, DNP, RN, RNC-NIC and Jaylee Hilliard, MSN, RN, NEA-BC, CPXP

Why Post-Discharge Surveys Arrive Too Late

Real-time family surveys delivered through established digital family engagement platforms represent a scalable, evidence-informed approach to capturing family experience and holistic wellness needs during Neonatal Intensive Care Unit (NICU) hospitalization.

NICU leaders face growing expectations to improve family experience, communication, equity, and psychosocial support while operating under persistent staffing constraints and increasing clinical complexity. Traditional post-discharge surveys provide delayed, retrospective insight that limits opportunities for timely care alignment and real-time quality improvement. In contrast, real-time family surveys, digitally enabled family connection tools, and automated psychosocial screenings offer a scalable, evidence-informed mechanism to capture family wellness baselines during hospitalization. This infrastructure enables earlier identification of parental mental health struggles, Social Determinants of Health (SDOH) vulnerabilities, and communication preferences, supporting more responsive and proactive care delivery.

Because NICU-specific evidence on real-time digital family feedback continues to evolve, this white paper draws on neonatal, pediatric, intensive care, and broader patient/family experience literature to identify practical considerations that may be applicable to NICU settings. The literature demonstrates that when real-time feedback and validated screenings are paired with clear, automated response pathways, these approaches are associated with:

- improved family satisfaction
- stronger communication
- enhanced family engagement
- reduced family stress
- proactive psychosocial support

Importantly, the evidence consistently shows that technology alone is insufficient; impact is realized when digital tools are embedded into workflows as a team support system, backed by staff alignment, and connected directly to specialized resource pathways.

Lisa Davenport, DNP, RN, RNC-NIC, is a prominent nursing leader specializing in Neonatal Intensive Care (NICU), known for her roles at Texas Children's Hospital, as a faculty member for Texas Tech Health Science Center, and recently joining AngelEye Health, focusing on family-centered care, virtual nursing, and human milk advocacy.
Jaylee Hilliard is the Senior Vice President of Clinical Strategy at AngelEye Health, revolutionizing patient and family support through advanced technology.

For NICU leaders and executives, real-time family survey and screening infrastructure embedded within an existing family engagement platform should be viewed as more than an experience initiative; it can serve as an important component of modern, family-integrated NICU operations. When embedded into platforms families already trust and use, participation increases and sharing needs become a routine part of care rather than an administrative burden (Remer et al., 2024). Digital systems provide leaders with actionable data, earlier clinical and social risk signals, and equitable access to family voice capabilities that are increasingly essential for quality, clinical equity, and organizational performance.

The Gap Between Measuring Experience and Acting on It

Family-integrated care is a foundational principle of high-quality neonatal intensive care, emphasizing respect, information sharing, participation, and collaboration with families throughout prolonged and highly stressful NICU hospitalizations (Goldfarb et al., 2023; Sakonidou et al., 2023). However, measurement of family experiences and evaluation of family needs in the NICU have historically relied on retrospective surveys administered weeks after discharge or on families' physical presence at the bedside. While valuable for high-level benchmarking, these tools do not allow clinical teams to identify wellness gaps in real time or intervene while families are still actively engaged in care at the bedside.

The shift toward real-time family surveys reflects broader trends in quality improvement, patient engagement, and digital health. Advances in mobile technology, text messaging, and web-based platforms have enabled families to share feedback, ask questions, and complete vital screenings even when physical presence at the bedside is limited. For NICUs, where prolonged hospitalizations, emotional stress, and complex communication needs are common, the ability to capture family voice and health equity baselines during hospitalization is particularly critical.

The literature consistently positions real-time family feedback as a mechanism to close the gap between experience measurement and clinical action. Rather than serving solely as a performance scorecard, real-time surveys and digital screening entry points function as operational tools that surface communication breakdowns, psychosocial distress, and unmet social resource needs early enough to support a meaningful response from the interdisciplinary care team.

What the Evidence Actually Says

The evidence base for real-time family surveys and digital screenings draws on several complementary frameworks. The Family Activation Theory emphasizes the role of family knowledge, confidence, and agency in shaping care experiences. Validated measures demonstrate that higher family activation is independently associated with greater satisfaction, underscoring the importance of tools that give families structured, low-friction opportunities to express needs and participate in care (Hallot et al., 2024).

Implementation science further informs how real-time feedback and screening systems become embedded into routine practice (Jesus et al., 2024a, 2024b). Studies applying Normalization Process Theory show that feedback tools are more likely to be successfully adopted and sustained when their purpose is framed as a team support mechanism, roles are well defined, workflows are minimally disrupted, and data are routed dynamically to reduce the cognitive load on frontline staff (Jesus et al., 2024a).

From a psychosocial and equity perspective, a NICU admission constitutes a profound crisis that dynamically shifts a family's mental health status and resource needs (Oak & Kim, 2025). Rather than viewing families purely through the lens of satisfaction, modern healthcare models position them as partners who require holistic support. Real-time digital platforms expand the unit's ability to detect parental trauma, depression, and social vulnerabilities early, supplementing traditional, episodic clinical rounds with continuous, accessible screening infrastructure (Khan et al., 2024).

How Real-Time Feedback Reaches Families

Meeting Families Where They Are: Digital and Text-Based Surveys

Web-based survey tools embedded within existing digital family engagement platforms are a commonly studied and effective modality for real-time family feedback. When surveys are integrated into platforms families already use for communication and information access, response burden is reduced, and participation is more likely to occur during active care episodes (Remer et al., 2024; Sakonidou et al., 2023). Platform-based digital surveys delivered within an existing family engagement ecosystem demonstrate high usability and completion rates when families are already routinely logging in for updates, education, and connection (Remer et al., 2024).

Embedding surveys within a trusted platform reduces friction, eliminates the need to respond to external prompts, and increases the likelihood of completion during hospitalization (Remer et al., 2024; Rothschild et al., 2024). Response rates for real-time surveys vary by design and implementation strategies. Still, they are comparable to or exceed those of traditional post-discharge surveys when workflows are optimized, and staff encourage participation (Remer et al., 2024). Importantly, higher response rates alone do not guarantee impact; studies consistently emphasize the importance of timely review and automated response pathways (Jesus et al., 2024b).

One Platform, Not One More Login

Comprehensive mobile health platforms integrate experience surveys with education, communication, and psychosocial screening tools (Oak & Kim, 2025). These platforms have demonstrated high acceptability among families and clinicians, particularly in pediatric and neonatal populations (Rothschild et al., 2024). For families, integrated platforms support sensemaking, reduce uncertainty, and create structured pathways to communicate satisfaction levels and psychological needs (Oak & Kim, 2025). For clinical teams, they consolidate multiple engagement functions into a single digital environment that handles data translation behind the scenes.



Rigor Without the Survey Fatigue

Several validated instruments have been adapted or refined for real-time use in intensive care and neonatal settings (Sakonidou et al., 2023). These tools preserve psychometric rigor while reducing length and focusing on domains most actionable during hospitalization, such as communication clarity, parental involvement, and emotional support. Refinement studies highlight the importance of minimizing missing data, avoiding redundant items, and ensuring questions are understandable to families experiencing high stress (Sakonidou et al., 2023). This includes the digital deployment of validated mental health screens, such as the Edinburgh Postnatal Depression Scale (EPDS), to track parental well-being dynamically alongside standard Social Determinants of Health (SDOH) intake fields.

What Changes for Families — and the Team

Fewer Phone Calls, More Trust

Across neonatal and pediatric intensive care settings, real-time family surveys and digitally enabled family connection tools are associated with improved satisfaction scores, particularly related to communication quality, timeliness, and perceived responsiveness of the care team (Manna, 2021; Pozzoli et al., 2023; Yu et al., 2022). Studies demonstrate meaningful improvements when families can ask questions proactively, receive regular updates, and report satisfaction barriers as they arise rather than after discharge (Yu et al., 2022).

Digitally enabled family platforms that combine communication, information access, and feedback collection reduce reliance on inbound phone calls while improving continuity of information for families who cannot be physically present (Bruce et al., 2023a). Studies consistently show that when families can access updates and share experience data through a single digital entry point, perceived responsiveness and satisfaction increase (Bruce et al., 2023a; Pozzoli et al., 2023). Families consistently report that regular, structured communication conveys attentiveness and compassion, reinforcing trust in the care team.

Identifying Parental Distress Before It's a Crisis

Beyond satisfaction, studies in intensive and neonatal care settings demonstrate reductions in family stress and improvements in self-

efficacy associated with digitally supported family engagement during hospitalization, which is especially critical in the NICU, where prolonged uncertainty and separation are common (Oak & Kim, 2025; Rothschild et al., 2024). By providing timely information and opportunities for feedback, real-time systems help mitigate uncertainty, a major driver of anxiety in the NICU. Families report feeling more informed, more confident, and better prepared to participate in care and decision-making (Oak & Kim, 2025).

Furthermore, the integration of real-time screening tools enables proactive identification of parental mental health challenges and Social Determinants of Health (SDOH). Because a NICU admission is an acute crisis, the traditional model of paper forms or intermittent bedside social work visits cannot always keep pace with a family's evolving needs. Research reveals that leveraging digital platforms to deliver discreet, real-time screening tools significantly increases parent engagement with support services (Oak & Kim, 2025). Bedside and distance caregivers can privately flag severe postpartum anxiety, depression, or critical SDOH vulnerabilities, such as transportation barriers, food insecurity, or housing instability, directly from their mobile devices.

Reaching the Families Surveys Usually Miss

Evidence suggests that real-time surveys contribute to increased family activation by legitimizing family voice and reinforcing the expectation of partnership. Activation measures show independent associations with satisfaction, supporting the premise that giving families structured opportunities to express their needs has intrinsic value beyond the specific fields reported (Hallot et al., 2024).

Importantly, traditional survey methods often suffer from stark demographic disparities, heavily favoring families with higher resources and English proficiency. When real-time digital experience and screening tools are designed with health literacy in mind and delivered in multiple languages, they may help reduce barriers to participation (Khan et al., 2024; Remer et al., 2024). Emerging evidence suggests that health-literacy-informed digital screenings can capture psychosocial and social risk factors that may be missed during standard clinical workflows, giving distance caregivers and historically underserved families a more accessible pathway to seek support resources (Khan et al., 2024).

Making It Work: Technology That Supports the Team

The literature is clear that technology alone does not drive improvement; real-time feedback and screening programs show strong results only when paired with actionable data relay, defined response pathways, and intentional workflow integration (Jesus et al., 2024b; Remer et al., 2024). To achieve a true return on investment, these digital tools must be implemented as supportive systems that uplift, protect, and empower the frontline healthcare team. Successful programs hardwire three core pillars into their operations:

A Safety Net, Not a Scorecard

Real-time feedback functions as a proactive layer of support for bedside staff, catching minor communication gaps or unaddressed family questions before they escalate into formal patient relations complaints (Jesus et al., 2024a). By providing an early, gentle alert that a family needs extra clarity, education, or reassurance, the system allows the care team to collaborate smoothly and align with the family's expectations in real time. It shifts the unit's posture into a supportive, proactive rhythm that protects and enhances the patient-nurse relationship.

The Right Alert to the Right Person — Automatically

A well-designed digital platform simplifies operations by establishing clear, automated routing for specific family inputs, ensuring that specific family needs are routed directly to the appropriate team member (Jesus et al., 2024b; Remer et al., 2024). Rather than adding to a bedside nurse's cognitive and documentation load, the system manages the logistics behind the scenes. For example, if a postpartum parent completes a digital EPDS screening and flags acute mental health needs, the platform routes the alert directly to the appropriate social work or psychology team without requiring the bedside nurse to manually triage the concern. This structured relay ensures that vulnerable families get targeted, rapid intervention from the right resource seamlessly, allowing bedside clinicians to keep their focus primarily on clinical care.

Catching the Good, Too

While leadership systems often focus on service recovery, real-time surveys may also capture positive feedback from families. Parents may use these tools to express gratitude for bedside nurses and clinicians who provided compassion, clarity, or reassurance. When shared thoughtfully, these comments can reinforce meaningful care behaviors, support team recognition, and help leaders identify practices that families experience as especially supportive (Remer et al., 2024).

What This Means for NICU Leaders

For NICU executives and nurse leaders, real-time family survey data provide actionable operational insight, identifying communication gaps, mental health distress, and social risks earlier in prolonged hospitalizations, informing targeted resource allocation, and supporting strategic goals related to experience, equity, and holistic neonatal support (Khan et al., 2024; Remer et al., 2024).

Real-time digital infrastructure enables:

- Earlier detection of satisfaction barriers and psychosocial needs (Khan et al., 2024).
- Scalable family engagement and automated screening routing despite staffing constraints (Remer et al., 2024).
- More equitable access to participation and support services for families at a distance (Khan et al., 2024).
- Data-informed leadership decision-making that drives staff recognition and morale.

NICUs without mechanisms to understand family experience, psychosocial needs, and equity-related barriers in real time may face widening gaps between family-centered care intentions and operational execution.

The Real Investment

The available evidence suggests that real-time family surveys, digitally enabled connection tools, and automated screening workflows can strengthen communication, enhance visibility into family experience, support earlier identification of psychosocial needs, and inform resource allocation when implemented thoughtfully. For NICU leaders and executives, these systems represent a practical, evidence-informed approach to operationalizing family-integrated care while protecting and supporting the frontline clinical team.

Investing in real-time family feedback is not simply an investment in experience scores; it is an investment in a more responsive, supportive, and equitable neonatal care environment (Bardach et al., 2022; Khan et al., 2024; Remer et al., 2024).

Join the Conversation

To continue this conversation, feel free to email Lisa Davenport, DNP, RN, RNC-NIC, Vice President of Clinical Commercialization at AngelEye Health. Email ldavenport@angeleyehealth.com.

References

- Bardach, N. S., Stotts, J. R., Fiore, D. M., Sarkar, U., Sharma, A. E., Boscardin, W. J., Avina, L., Peralta-Neel, C., & Rosenbluth, G. (2022). Family Input for Quality and Safety (FIQS): Using mobile technology for in-hospital reporting from families and patients. Journal of Hospital Medicine, 17(6), 456–465. https://doi.org/10.1002/jhm.2777
- Bruce, C. R., Miller, S. M., & Zimmerman, K. O. (2023a). Design and integration of a texting tool to keep patients' family members updated during hospitalization: Family members' perspectives. *Journal of Patient Experience*, *10*, 23743735231154963. https://doi.org/10.1177/23743735231154963
- Goldfarb, M. J., Bibas, L., Bartlett, V., Jones, H., & Khan, N. (2023). Family engagement in the adult cardiac intensive care unit: A survey of family engagement practices in the Cardiac Critical Care Trials Network. *Circulation: Cardiovascular Quality and Outcomes*, *16*(9), e010084. https://doi.org/10.1161/CIRCOUTCOMES.123.010084
- Hallot, M., Rouleau, G., Cossette, S., Alderson, M., Mailhot, T., & Bouchard, K. (2024). Development and initial validation of a family activation measure for acute care. *PLOS ONE*, *19*(1), e0286844. https://doi.org/10.1371/journal.pone.0286844
- Jesus, T. S., Papadimitriou, C., Bright, F. A., Kayes, N. M., & Pinho, C. S. (2024a). Implementing a near real-time patient experience feedback process in inpatient rehabilitation: Mixed-methods process evaluation informed by the Normalization Process Theory. *Research Square*. https://doi.org/10.22541/au.171765841.11057290/v1
- Jesus, T. S., Papadimitriou, C., Bright, F. A., Kayes, N. M., & Pinho, C. S. (2024b). Near real-time patient experience feedback with data relay to providers: A systematic review of its effectiveness. *International Journal for Quality in Health Care*, *36*(3), mzae053. https://doi.org/10.1093/intqhc/mzae053
- Khan, A., Baird, J., Rogers, J. E., Furtak, S. L., Williams, K., Yehya, N., Fieldston, E., Feudtner, C., & Solan, L. G. (2024). A coproduced family reporting intervention to improve safety surveillance and reduce disparities. *Pediatrics*, *153*(4), e2023065245. https://doi.org/10.1542/peds.2023-065245
- Manna, S. S. (2021). Implementing the Pediatric Family Satisfaction in the Intensive Care Unit (ICU) survey in a pediatric cardiac ICU. *American Journal of Critical Care*, *30*(6), 481–485. https://doi.org/10.4037/AJCC2021607
- Oak, Y. & Kim, E. (2025). Development and effects of a family-centered care application for intensive care unit families based on the Facilitated Sensemaking Model. *Journal of Korean Critical Care Nursing*, *18*(2), 1–14. https://doi.org/10.34250/jkccn.2025.18.2.1
- Pozzoli, A., Taglieri, C., Scolletta, S., Ajello, S., Calafiore, A. M., & Nardella, S. (2023). Digital interprofessional communication with families in a cardiac surgery unit: Insights from the pandemic. *Frontiers in Cardiovascular Medicine*, *10*, 1165287. https://doi.org/10.3389/fcvm.2023.1165287
- Remer, L. M., Line, K., Paolella, A., Rozniak, J. M., & Alessandrini, E. A. (2024). Use of daily web-based, real-time feedback to improve patient and family experience. *Journal of Patient Experience*, *11*, 23743735241226994. https://doi.org/10.1177/23743735241226994

An Integrated Platform for Smarter NICU Support

The only comprehensive platform that integrates with your EHR

Leverage Your EHR Investment. Deep integration drives daily family updates, bed management, and feeding documentation.

Solutions that work together. Video, feeding, NICU navigation, education, and insight on one platform.

One, seamless family experience. A single access point across all Solutions – HIPAA-compliant in 70+ languages.



Visit us at NANN Booth 601
Scan the QR to Book a Discovery Call

AngelEye HEALTH

- Rothschild, C. B., Balistreri, K. A., Mulligan, K., Lee, K. J., Karst, J., Privatt, M., et al. (2024). Acceptability and feasibility of text message interface to assess parents' real-time PICU experiences. *Journal of Intensive Care Medicine*, *39*(2), 159–169. https://doi.org/10.1177/08850666231195754
- Sakonidou, S., Kotzamanis, S., Tallett, A., Poots, A. J., Modi, N., Bell, D., & Gale, C. (2023). Parents' Experiences of Communication in Neonatal Care (PEC): A neonatal survey refined for real-time parent feedback. *Archives of Disease in Childhood – Fetal and Neonatal Edition*, *108*(4), 416-420. https://doi.org/10.1136/archdischild-2022-324548
- Yu, H. Y., Friedemann Smith, C., Boyle, A. A., & Ting, J. Y. (2022). Application of a pre-emptive question and answer platform to improve satisfaction during family meetings in general medical wards. *BMC Health Services Research*, *22*(1), 629. https://doi.org/10.1186/s12913-022-07929-z